

DigiCert® PKI Platform

Release Notes

Version 8.20.4

August 31, 2020



Legal Notice

Copyright © 2020 DigiCert, Inc. All rights reserved. DigiCert and its logo are registered trademarks of DigiCert, Inc. Other names may be trademarks of their respective owners.

The product described in this document is provided by DigiCert, Inc. and distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of DigiCert, Inc. and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. DIGICERT, INC. SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The licensed software and documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, "Rights in Commercial Computer Software or Commercial Computer Software Documentation", as applicable, and any successor regulations. Any use, modification, reproduction release, performance, display or disclosure of the licensed software and documentation by the U.S. Government shall be solely in accordance with the terms of this documentation.

DigiCert, Inc.
2801 North Thanksgiving Way, Suite 500
Lehi, UT 84043
<https://www.digicert.com/>

DigiCert® PKI Platform 8.20.4 Release Notes

DigiCert PKI Platform is a cloud-hosted service provided by DigiCert, Inc.

This document includes the following topics:

- [What's New in 8.20.4](#)
- [Component Support Updates](#)
- [Platform Support Updates](#)
- [Documentation](#)
- [Issues Addressed](#)
- [Known Issues](#)

What's New in 8.20.4

This release notes accompany the delivery of the DigiCert PKI Platform 8.20.4 release, henceforth referred to as PKI Platform.

PKI Platform is a cloud-hosted service, so your enterprise receives the latest releases as soon as the service is live.

Table 1 New in 8.20.4

New to 8.20.4	Description
SAML 2.0 support ¹	<p>SAML 2.0 Support to authenticate/authorize certificate requests by a Customer SAML IdP, which is configured using a new admin portal called "UAA (User Authorization Agent)", supporting both SP and IdP-initiated SAML flows.</p> <p>Refer to UAA details in this document for more details on supported templates and enrollment methods.</p> <p>Please refer to this KB article for UAA service details.</p>
Profile-based search filters	New filters to search for Profile Names and Profile OID values within PKI Manager.
Dual Approval for Cloud escrowed certificates	Support for recovery of Cloud escrowed certificate using a Dual Approval flow via SOAP API.
Certificate Information report enhancement	Support for including Subject Alternative Name (SAN) fields within the Certificate Information report for OS/Browser and CSR Enrollment methods, for certificates issued after the release of this feature.
DigiCert SCEP Proxy Enhancements	Support for obfuscating sensitive values within the configuration file (e.g. keystore password), added version control via SCEP PKIOperation, and Tomcat start/stop scripts for Windows.

¹ The new SAML service (via UAA) is not supported for Test Drive accounts

Component Support Updates

All software components are available from the **Resources** page within the PKI Manager web portal.

Table 2 Optional components that PKI Platform 8.20.4 supports

Components	Version Supported
PKI Client	2.20.2
PKI Enterprise Gateway, including Autoenrollment Server	1.20.4
PKI Web Services	8.19
PKI Client-Android	2.0.1

^a PKI Platform 8.20.4 supports previous versions of PKI Client. However, you must run v2.20.2 or higher to benefit from the features that are described in this release notes.

Platform Support Updates

PKI Platform 8.20.4 supports the platforms and operating systems detailed in the below sections.

NOTE: In addition to the supported platforms and operating systems, PKI Platform and its components may work on other platforms or operating systems. However, DigiCert does not guarantee technical support related to issues that may arise on platforms or operating systems that are not listed here.

PKI Manager

PKI Manager is a web portal hosted in DigiCert's data center. It allows PKI Platform administrators to perform account, user, certificate, and key management tasks. In order to access PKI Manager portal, you need an administrator certificate hosted on the PKI Client agent.

Table 3 - PKI Manager operating system and browser support

Operating systems	Browsers
Windows 7 Enterprise edition SP1 (32-bit and 64-bit)	Internet Explorer 11 ^a Firefox 79 Chrome 84
Windows 8.1 (32-bit and 64-bit)	Internet Explorer 11 ^a Firefox 79 Chrome 84
Windows 10 Enterprise edition (32-bit and 64-bit)	Internet Explorer 11 ^a Firefox 79 Chrome 84
Mac (Catalina, Mojave, and High Sierra)	Firefox 79

^a Edge Mode on Internet Explorer is supported.

PKI Certificate Services

PKI Certificate Services are webpages hosted in DigiCert's data center that enable users to request, install, renew, and recover encryption certificates.

Table 4 - PKI Certificate Services operating system and browser support

Operating systems	Browsers
Windows 7 enterprise edition SP1 (32-bit and 64-bit)	Internet Explorer 11 ^{a, b} Firefox 79
Windows 8.1 (32-bit and 64-bit)	Internet Explorer 11 ^{a, b} Firefox 79
Windows 10 (32-bit and 64-bit)	Internet Explorer 11 ^{a, b, c} Firefox 79
macOS Sierra (10.12)	Safari 11.1.2 Firefox 79

Operating systems	Browsers
macOS High Sierra (10.13)	Safari 11.1.2 Firefox 79
macOS Mojave (10.14)	Firefox 79
macOS Catalina (10.15)	Firefox 79

^a The renewal plug-in is not supported in Internet Explorer 11 if Enhanced Protection Mode (EPM) is enabled. EPM is disabled by default in Internet Explorer 11.

^b Renewal of OS browser certificates supported only for Internet Explorer.

^c Edge mode is not supported.

PKI Client

PKI Client is a middleware software for digital signing, authentication, and data protection for desktop-based applications. It supports auto-renewal of certificates under management and auto-configuration of third-party applications via Post Processing scripts configured by a PKI Administrator. It uses digital certificates on smart cards, Intel TPM chips, security devices, or users' workstations using its own secure virtual keystore (vToken).

Table 5 - PKI Client operating systems and browser support

Operating systems	Browsers
Windows 7 SP1 (64-bit)	Internet Explorer 11 Firefox 79 Chrome 84
Windows 8.1 (32-bit and 64-bit)	Internet Explorer 11 Firefox 79 Chrome 84
Windows 10 (32-bit and 64-bit)	Internet Explorer 11 Firefox 79 Chrome 84
macOS Sierra (10.12) ^a	Safari 11.1.2 Firefox 79 Chrome 84

Operating systems	Browsers
macOS High Sierra (10.13) ^a	Safari 11.1.2 Firefox 79 Chrome 84
macOS Mojave (10.14) ^b	Firefox 79
macOS Catalina (10.15) ^c	Firefox 79

^a PKI Platform does not support Government Edition CAC and PIV smart cards on the macOS Sierra and macOS High Sierra operating systems.

^b Safari Version 12 or higher and Client Authentication using eToken is not supported on Chrome & Firefox from macOS Mojave.

^c On macOS Catalina, certificate pickup on Hardware token using Firefox (ONLY) will not work without TokenD enabled in the system. For workaround and details, please refer: [KB article](#).

PKI Client for Android

Table 6 - PKI Client Android version support

Type	Version
Android Pie	9.0
Android Oreo	8.1

Mobile Device

PKI Platform supports issuing digital certificates on all devices running on Android, iOS 11, 12 and 13.

User Authorization Agent (UAA)

The User Authorization Agent (UAA) is a service hosted in DigiCert's data center. It allows PKI Platform administrators to provide details of IdP and SAML configurations to perform authentication/authorization before allowing DigiCert to issue a certificate, based on the certificate profile requirements you have set.

The UAA service supports both SAML 2.0 IdP and SP-initiated flows.

The UAA service is composed of two web portals: UAA Admin and User portals

Supported Certificate Templates and Enrollment Methods

Certificate Template	Enrollment Method
All Templates in Device and Server Seat Pools	<ul style="list-style-type: none"> • CSR
Client Authentication	<ul style="list-style-type: none"> • Browser PKCS12 • DigiCert Desktop Client

UAA Admin Portal

A portal accessed by PKI Administrators using the same administrator certificate securely stored on DigiCert PKI Client used to access PKI Manager. It allows an administrator to configure SAML profiles detailing where certificate data is sourced from (e.g. Fixed values set by an administrator, from a CSR, from a SAML Assertion) and how users go about enrolling/provisioning certificates (e.g. via a Browser PKCS12 flow, or using the DigiCert Desktop Client to interact with browser keystores).

Table 7 – UAA Admin Portal operating systems and browser support

Operating System	Browser
Windows 10	Chrome (84.0. or later)
Mac OS (10.14.6)	Firefox (79.0 or later)
	Microsoft Edge (84.0 Windows/Mac or later)

UAA User Portal

A portal accessed by end-users to enroll for certificates based on a profile configured by their administrator. Users can authenticate against their SAML IdP provider and land on a UAA User self-service portal, from where they can perform various operations against profile that had been configured by their administrator: enroll, download, revoke a certificate.

Users can also be given a specific URL that is bound to a profile and upon clicking on it, they will be redirected to their SAML IdP provider to authenticate/authorize before returning to the UAA User portal from where they can initiate the enrollment process and get a certificate provisioned via the method set by the administrator within the profile.

Table 8 – UAA User Portal operating systems and browser support

Operating System	Browser
Windows 10	Chrome (84.0. or later)
Mac OS (10.14.6)	Firefox (79.0 or later)
Linux (Ubuntu 18.04)	Microsoft Edge (84.0 Windows/Mac or later)
iOS 13	Safari (13.1 or later on Mac)
Android 9 (Pie)	Safari (13 on iOS 13)
	Chrome (69.0 on Android 9)

DigiCert Desktop Client (for SAML use-case)

DigiCert Desktop Client can be used to generate keys and install software certificates² across various browsers and platforms (Windows and macOS), when configuring a profile with the “DigiCert Desktop Client” enrollment method and the “Federated Auth” authentication method.

Table 9 – DigiCert Desktop Client operating systems and browser support

Operating systems	Browsers
Windows 10 (32-bit and 64-bit)	Chrome (84.0. later) Firefox (79.0 later) Microsoft Edge (84.0 Windows/Mac or later)
macOS Mojave (10.14.6) macOS Catalina (10.15.2)	Chrome (84.0. later) Firefox (79.0 later) Microsoft Edge (84.0 Windows/Mac or later) Safari (13.1 later on Mac)

Table 10– UAA Supported DigiCert Desktop Client version

Components	Version Supported
DigiCert Desktop Client	3.1.4

² Support for software certificates only. Support for cryptographic devices (hardware tokens) will be forthcoming

Documentation

Unless otherwise noted, all PKI Platform documents are available from the **Resources** page within the PKI Manager portal. Alternatively, you can also download a history of Release Notes from this [KB article](#).

Issues Addressed

Issues addressed within this release include:

- [DPPC-1217] Removed Symantec branding from PDF reports in PKI Manager.
- [DPPC-1516] Rebranded the Revocation PDF form used to request revocation of Administrator certificates
- [DPPC-1341] AutoEnrollment Server (AES) now supports objectGUID attribute in Subject Alternative Name (SAN) extension for Domain Controller certificate template.
- [DPPC-1440] Test Drive – automated renewal/extension of test drive accounts displayed incorrect number of days for extension (i.e.90 days instead of 30 days). It has been updated with the correct value (30 days).

Known Issues

The following are the known issues in this version:

- The DigiCert PKI Client for Android application is built using API version 26 best suited for Android Oreo (8.1) and below.

The application functionality has been verified on Android 9 (Pie) and Android Q. In some cases, for Android Pie and Q, while opening the application for the first time, you might get an alert stating, "Detected Problems with API". Click "OK" and proceed as the functionality has been successfully verified on both these Android versions.

- On iOS, certificate renewal after its expiry may not happen as expected. There is no workaround to this issue.
- iOS renewals will not work if user kicks off the process from the renewal link which is sent in the renewal e-mail. User must renew the iOS certificate from iPhone's/iPad's settings by updating the profile.
- While installing certificate on iOS for iPhones, although the certificate profile gets downloaded, the DigiCert UI displays a message showing "Your Certificate is not installed".
- User/Admin enrollment on any Browser, any Operating System, may result into a Blank Page without any progress if the Symantec branded Browser extension is not removed from the Browser from where enrollment is attempted. Please

manually remove the Symantec branded browser extension and install the DigiCert branded browser extension as provided on our instructions page and then restart the browser. Certificate enrollment should work fine after this procedure.

- Safari version 12 or higher is not supported on any macOS, due to an Apple API change affecting the PKI Client Safari extension.
- Client Authentication using eToken is currently not supported on Chrome & Firefox from macOS.
- For Mac and Windows OS, while accessing the PKI Manager portal using the PKI Client in Firefox browser, an error message may be displayed with the error code: **SSL_ERROR_HANDSHAKE_FAILURE_ALERT**.



This can be resolved by navigating to the settings of the Security Devices for PKI Client. From the **Open Menu** panel select -> **Options** -> type "Certificate" in **Find in Options** text field -> click on **Security Devices** button, and

1. Click the **Load** button and select the **PKCS 11** module.
2. Browse to the path where the PKCS 11 module is located:

For Mac: /usr/local/lib/tblive-4/PKCS11.so

For Windows: C:\Program Files\DigiCert\PKI Client\PKCS11.dll

3. Click **OK**.

You will be able to access the PKI Manager portal successfully. For more details on the steps, please refer: [KB article](#)